



भारत का राजपत्र

The Gazette of India

असाधारण

EXTRAORDINARY

भाग I—संख्या I

PART I—Section I

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं० ६] अई विल्सी, मंगलवार, जनवरी ९, १९६८/पौष १९, १८८९

No. 6] NEW DELHI, TUESDAY, JANUARY 9, 1968/PAUSA 19, 1889

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अस्तग संकलन के रूप में रखा जा सके।

Separate paging is given to this Part in order that it may be filed
as a separate compilation.

MINISTRY OF COMMERCE

PUBLIC NOTICE

IMPORT TRADE CONTROL

New Delhi, the 9th January 1968

Sub. :—Import Policy for Registered Exporters for the year April 1967—March 1968.

No. 5—ITC(PN)/68.—Attention is invited to the Import Policy for Registered Exporters contained in Part 'B' of Section III of the Import Trade Control Policy Book (Red Book) for the year April 1967—March 1968 issued under the Ministry of Commerce Public Notice No. 22 ITC(PN)/67 dated May, 1, 1967, as amended from time to time.

2. The following amendments may be made at the appropriate places as indicated below :—

| Page No. of the Red Book | Reference | Amendments |
|--------------------------------|---------------------------|---|
| 1 | 2 | 3 |
| ENGINEERING GOODS. | | |
| 190. | S. No. 3 Col. 4 | The existing remark “The following items are allowed import against export of water coolers (Domestic)” may be substituted by the following — |
| | | “The following items are allowed import against export of water coolers (Domestic as well as Commercial)”— |
| 191. | S. No. 3 Col. 4. | <p>The following may be added after entry (j) :—</p> <ul style="list-style-type: none"> (k) Valves—Expansion, refrigeration angle, solenoid and reversible. (l) Component parts of hermetically sealed compressors. (m) Leatheroid paper. (n) Bypass Tee (Bundy) (o) Bundy tubing. (p) Magnetic Door Gasket Assembly (q) Valve plate gasket, cylinder head gasket. (r) Magnetic strips, Magnets. (s) High impact polystyrene powder. (t) Prime G.P. Sheets. (u) Flapper valve steel strips. (v) Carburizing grade alloy steel. (w) Flare & sweat fittings. (x) Glassmetic terminals. (y) Molecular sleeve beads. (z) Melinex Film. (aa) Al. tube welded with tube set both ends. (ab) Silfer, special solders & fluxes. |
| 192. | S. No. 14 (i) Col. 4. | <p>The following may be inserted :—</p> <ul style="list-style-type: none"> (a) Semifinished master cylinder. (b) Semifinished wheel cylinder. (c) Brake hose. |
| 192. | S. No. 14 (v) Col. 4. | <p>The following may be inserted :—</p> <ul style="list-style-type: none"> (a) Components of taximeters. (b) Core wire for speedometer cable. |
| 192-193. | S. No. 14 (ix) Col. 4. | <p>The following may be inserted :—</p> <ul style="list-style-type: none"> (a) Head light glass. (b) Electroplating Salts & brightners. (c) Lacquer. (d) Special Al. for vacuum coating. |

| | | |
|----------|--|---|
| 192-193. | S. No. 14 (xiii) (a) to Col. 4 & 5. | The following may be inserted :— (a) Dualflex steel strips. (b) Nickel, silicon (for alloying). (c) Grinding paste. (c) (upto 10% of the face value of the licence). |
| 192-193 | S. No. 14 (xiii) (d) Col. 4. | The following may be inserted :— (a) Forging quality steel Billets. |
| 192-193. | S. No. 14 (xiii) (f & g) Col. 4. | The following may be inserted :— (a) Valve steel bars. (b) Spring steel wire. |
| 192-193. | S. No. 14 (xiii) (h) Col. 4. | The following may be inserted :— (a) Copper, Zinc in Virgin form. (b) Fluxes-antioxidants. |
| 192-193. | S. No. 14 (xiii) (j) Col. 4. | The following may be inserted :— (a) Copper and brass tubes. |
| 192-193. | S. No. 14 (xiii) (k) Col. 4. | The following may be inserted :— (a) Brass jets. |
| 192-193. | S. No. 14 (xiii) (m to o) Col. 4. | The following may be inserted :— (a) Filter paper. |
| 192-193. | S. No. 14 (xiii) (p) Col. 4. | The following may be inserted :— (a) Copper. (b) Asbestos. |
| 192-193. | S. No. 14 (xiii) (r) Col. 4. | The following may be inserted :— (a) Forging qualities steel billets/sections. |
| 192-193. | S. No. 14 (xiv) (b) Col. 4. | The following may be inserted :— (a) Asbestos Millboard. |
| 192-194. | S. No. 14 (xiv) (g) Col. 4. | The following may be inserted :— (a) Needle bearing. |
| 192-194. | S. No. 14 (xiv) (k) Col. 4. | The following may be inserted :— (a) Asbestos. (b) Binding resins. |

I

2

3

| | | | |
|----------|------------------------------------|--|---|
| 192-194. | <u>S. No. 14 (xv) (c)</u> | The following may be inserted :— Col. 4. (a) ERW tubes. (b) Heat Treating salts. | |
| 192-194. | <u>S. No. 14 (xv) (l)</u> | The following may be inserted :— Col. 4. (a) King pin bush. (b) King pin bearing/shims. | |
| 192-194. | <u>S. No. 14 (xvi) (a & b)</u> | The following may be inserted :— Col. 4. (a) Contact points. (b) Bendix drive. (c) Starter pinnion. (d) Copper wire brass. (e) Ball bearings (Permissible type). (f) Insulating material. | |
| 192-194. | <u>S. No. 14 (xvi) (c)</u> | The following may be inserted :— Col. 4. (a) Special electrode for Central wire. (b) Calcined alumina. | |
| 192-195. | <u>S. No. 14 (xvi) (l)</u> | The following may be inserted :— Col. 4. (a) Horn points. (b) Eureka/Nichrome wire. (c) Diaphragms. | |
| 192-195. | <u>S. No. 14 (xvi) (o, p, r,s)</u> | The following may be inserted :— Col. 4. (a) Contact points. (b) Bendix drive. (c) Starter Pinnion. (d) Copper wire brass. (e) Ball bearings (Permissible type). (f) Insulating material. | |
| 192-195. | <u>S. No. 14 (xvii) (c)</u> | The following may be inserted :— Col. 4. (a) Components of dash board instruments. | |
| 192-196. | <u>S. No. 14 (xvii) (g)</u> | The following may be inserted :— Col. 4. (a) Wires or inned cables. | |
| 197-198. | <u>S. No. 19 (k)</u> | The following may be inserted after (b) :— Cols. 4 & 5. | |
| | | 4 | 5 |
| | | (c) Tin ingot (d) Lead ingot. (e) Bronze powder. (f) B.P. Sheets. | upto 20% of the face value of licence. upto 5% of the face value of licence. |

| 1 | 2 | 3 |
|--------------------------|---|---------|
| 206. S. No. 58(i) to (v) | The following may be inserted :— (a) Condensers. (b) presphan paper (c) Condenser paper (d) E.C. Copper wire bars/wire rods/wires. | Col. 4. |
| 207. S. No. 60 | The following may be inserted after (v) :— (w) Circlips. (x) Multi layer special insulating material consisting of polyester film and presphan. (y) Copper alloy commutator segments (z) Fibre backed or bare mica combination polyester film insulating material. (aa) Grease nipples. (ab) Oil Seals. (ac) Cylinders and moulded angle rings (Elephantide or phenolic resin bonded). (ad) Insulated craft or Manila paper. (ae) Gasket Materials in the form of sheets (af) Neo k-Tex or Neo-lengite moulded packing washers. (ag) Insulating Screws. (ah) Aerolite (ai) Hardner GBMX. (aj) Pyrooler liquid or other synthetic insulating fluid. (ak) Cone rotors (al) Thermo couples. (am) E.C. Grade A1 Wire Bars or rods. (an) Phosphor bronze rods. (ao) Eureka/Kanthal resistance wires. (ap) Copper alloy commutator segments. (aq) Bare electrolytic copper strips. (ar) Electrolytic copper extruded shapes. (as) Bakelite sheets. (at) Phosphor bronze strips. (au) Virgin tin metal. | Col. 4. |
| 208. S. No. 61 | The following may be inserted after (u) :— (v) Multilayer special insulating material, consisting of polyester film & presphan. (v) Diatherm sleeves—Rayon braided fine synthetic resin varnished. (z) Phenolic paper laminate. (zt) Varnished glass cloth and tape. (zz) Varnished glass sleeving. (z3) Laminated fibre glass sheets. (z4) Cylinders and moulded angle rings (Elephantide or phenolic resin bonded). (z5) Eureka/Kanthal resistance wire. (z6) Electrolytic copper extruded shapes. (z7) Bakelite sheets. | Col. 4. |

I

2

3

- (z8) CRCA Sheets.
- (z9) Laminations.
- (z10) Phosphor Bronze Strips.
- (z11) Asbestos Sheets.

216. S. No. 111(vii)

Col. 4 & 5

The following may be inserted :—

- (a) Copper ingots/copper scrap.
- (b) zinc.
- (c) Brass scrap.
- (d) Tin.

Tin will be allowed only upto
20% of the face value of
the licence.

If the export products indicated in Col. 2 against S. No. 111 (vii) are electroplated, the following additional items may also be allowed import upto the face value restrictions, if any, indicated against each :—

- (a) Primary nickel.
- (b) Nickel anodes, lead anodes, cadmium anodes. Upto 50% of the face value of the licence.
- (c) Electroplating salts and brightness. Upto 20% of the face value of the licence.
- (d) Felt bobs. Upto 10% of the face value of the licence.

219. S. No. 126

Col. 4.

Entry (d) under 2 may be amended to read as under :—

"(d) Nickel anodes, lead anodes and cadmium anodes".

219 220. S. No. 128

Cols. 4 & 5.

The following may be inserted after (h) :—

- (i) Transistors, diodes, Thermistors, all sorts. [Item (i) to (xix) to be allowed with an all overall ceiling of Rs. 1,000/- only for each quarterly application.]
- (j) Valves, all sorts.
- (k) Vibrators.
- (l) Valve holders and accessories.
- (m) Condensors all sorts, including electrolytic and gang.
- (n) Connecting wires.
- (o) Volume controls/tune controls, all sorts.
- (p) Resistors, all sorts.
- (q) Magnets.
- (r) Mu. Metal & high permeability laminations.
- (s) Electrical insulating material.
- (t) Mylar and Celluloid Sheets.
- (u) Cables.
- (v) Connecting strips.
- (w) Paints & Varnish.
- (x) Nichrome wire.
- (y) Knobs.
- (z) Aluminium and enamelled winding wire.
- (xi) Switches.
- (xii) Recording tapes for performance testing.
- (xiii) Stereo records for performance testing.

I

2

3

| | | |
|--|--|--|
| (xxiv) Duralumin foil | | |
| (xxv) Aluminium foil | | |
| (xxvi) Adhesives | | |
| (xxvii) Component parts of television receivers | | |
| (xxviii) L.T. Transformers | | |
| (xxix) Transformers. | | |
| (xxx) Tape recorder parts | Items (xx) to (xxii) allowed only to registered exporters manufacturers of public Address Equipment who are also registered as exporters manufacturers of tape-recorders with the further condition that import of item (xx) will be restricted to 50% of the face value of the import replenishment licence and each of the items (xxi) and (xxii) will be restricted to 10% of the face value of the import replenishment licence. | |
| (xxxi) Recording tapes and hardware for tape-recorders | | |
| (xxxii) Microphone for tape-recorders. | | |
| (xxxiii) Component parts of record-changers, players and pick-ups. | To be allowed to registered exporters—manufacturers of ampligrams, only with the further condition that the import will be allowed upto 50% of the face value of the import replenishment licence | |
| (xxxiv) Complete record changers, players and pick-ups. | To be allowed against actual exports only of ampligrams with the further condition that the import will be within 50% of the face value of import replenishment licence. | |
| 270. S. No 131 Cols. 4 & 5. | The following may be inserted after 5.— | |
| | (6) Component parts of record changers players and pick-ups. | To be allowed to registered exporters—manufacturers of Radiograms only with the further condition that the import will be allowed upto 50% of the face value of the licence |
| | (7) Complete record changers, players and pick-ups | To be allowed against actual exports only of Radiograms with the further condition that the import will be within 50% of the face value of the import replenishment licence. |

I

2

3

220. S. No. 132.

Col. 4 & 5.

The following may be inserted after 10 :—

(11) Component parts of record changers, players and pick-ups. To be allowed to registered exporters—manufacturers of Radiograms only with the further condition that the import will be allowed upto 50% of the face value of the licence.

(12) Complete record changers, players and pick-ups. To be allowed against actual exports only of radiograms with the further condition that the import will be within 50% of the face value of the import replenishment licence.

221. S. No. 135

Col. 4.

The following may be inserted after (e) :—

- (f) Teflon.
- (g) Fluon.
- (h) Vydux.
- (i) Phosphating compound.
- (j) Polishing compound.

223. S. No. 148

Col. 4

The following may be inserted after (a) :—

(b) En series steel bars/rod.,
The following may be inserted :—

- (a) High carbon spring steel strips/wires.
- (b) Rolled Nickel anodes: Upto 50% of the face value of the licence.
- (c) Primary nickel.

P. D. KASBEKAR,

Chief Controller of Imports and Exports.